# TRANSLATION PATENT COOPERATION TREATY PATENT COOPERATION TREATY

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

	n's or agent's file reference RL0017	FOR FURTHER ACTION	See Form PCT/IPEA/416						
Internation	onal application No.	International filing date (day/month/year)	Priority date (day/month/year)						
	/JP2004/015894	27.10.2004	05.11.2003						
International Patent Classification (IPC) or national classification and IPC									
H04B14/06, G10L19/00, H04M3/00									
Applicant									
OKI	OKI ELECTRIC INDUSTRY CO., LTD.								
		·							
L									
1.	<ol> <li>This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.</li> </ol>								
2.	This REPORT consists of a total of	sf 6 sheets, inc	luding this cover sheet.						
ľ			-						
3.	This report is also accompanied by	ANNEADS, comprising:							
	a. (sent to the applicant of	and to the International Bureau) a total of	sheets, as follows:						
İ	sheets of the des	cription, claims and/or drawings which have b	een amended and are the basis for this report and/or						
	sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).								
	sheets which sup	ersede earlier sheets, but which this Authorit	y considers contain an amendment that goes beyond						
		the international application as filed, as indi	cated in item 4 of Box No. I and the Supplemental						
	Box.								
	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))								
	containing a sequence listing and/or tables								
	related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see								
	Section 802 of the Admi	nistrative Instructions).							
4.	This report contains indications re	lating to the following items:							
	Box No. I Basis of	the report							
	Box No. II Priority								
	Box No. III Non-esta	ablishment of opinion with regard to novelty, i	nventive step and industrial applicability						
	Box No. IV Lack of unity of invention								
	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement								
	Box No. VI Certain documents cited								
	Box No. VII Certain defects in the international application								
	Box No. VIII Certain	observations on the international application							
Data of	submission of the demand	Date of completion	of this report						
Date of s	Submission of the demand	Date of completion							
Name ar	nd mailing address of the IPEA/JP	Authorized officer							
,	la Na	Telephone No.							
Facsimil	ie No.	T T CICPIIOTE NO.							

## INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/JP2004/015894

Box	No. I Basis of the report					
1.	With regard to the language, this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item.					
	This report is based on translations from the original language into the following which is the language of a translation furnished for the purposes of:					
	international search (Rule 12.3 and 23.1(b))					
	publication of the international application (Rule 12.4)					
	international preliminary examination (Rule 55.2 and/or 55.3)					
2.	With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):					
	the international application as originally filed/furnished					
	the description:					
	pages as originally filed/furnished					
	pages* received by this Authority on					
	pages* received by this Authority on					
	the claims:					
	nos as originally filed/furnished					
	nos.* as amended (together with any statement) under Article 19					
1	nos.* received by this Authority on					
	nos.* received by this Authority on					
	the drawings:					
Ì	sheets as originally filed/furnished					
	sheets* received by this Authority on					
	sheets* received by this Authority on					
	a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.					
3.	The amendments have resulted in the cancellation of:					
	the description, pages					
	the claims, nos.					
	the drawings, sheets/figs					
	the sequence listing (specify):					
	any table(s) related to sequence listing (specify):					
4.	This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).					
	the description, pages					
1	the claims, nos.					
	the drawings, sheets/figs					
	the sequence listing (specify):					
1	any table(s) related to sequence listing (specify):					
	If item 4 applies, some or all of those sheets may be marked "superseded."					

International application No.
PCT/JP2004/015894

Box			rticle 35(2) with regard to novelty, inventive step or industrial applicability; pporting such statement	
1.	Statement			
	Novelty (N)	Claims	1-9	YES
		Claims		NO
	Inventive step (IS)	Claims	1-9	YES
		Claims		NO
	Industrial applicability (IA)	Claims	1-9	YES
		Claims		ио

2. Citations and explanations (Rule 70.7)

Document 1: JP 6-334613 A (Kokusai Electric Co., Ltd.), 2

December 1994; fig. 1

Document 1 sets forth decoding, wherein frames in which the level has changed suddenly and frames with large numbers of error bits are detected by a controller 10, an erroneous frame flag p is outputted, and when the prediction coefficient holder 15 is assigned an error frame flag p, the average prediction coefficient r of the preceding frame is assigned to the decoder 11.

Document 2: JP 58-179037 A (NEC Corporation), 20 October 1983, fig. 5 & US 4554670 A1

Document 1 sets forth a decoding signal, wherein a judgment is made as to whether decoding results are the same for each unit of time, and if decoding results are judged to be the same for each unit of time, the output signal is set to zero, and at other times the output signal is set to a decoding signal.

Claims 1 to 9

None of the documents cited in the international search report indicates or suggests that an adjustment determining means which judges whether amplitude needs to

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/JP2004/015894

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

be adjusted according to amplitude values of a signal waveform which indicates decoding results of generated data stored in a transmission unit signal, is provided to a receiver for receiving signals, which are obtained by, at a transmitting end, quantizing values based on relative differences between a plurality of sample values having temporal before-and-after relationships therebetween, further dividing the data produced in time sequence in accordance with the result of the quantization, and further accommodating the divided data into a predetermined transmission unit signal.

### INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

- (1) It is unclear whether the "decoding results" set forth in claim 1 are "sample values" or "values based on relative differences in sample values".
- (2) It is unclear what type of processing the "reverse quantization" set forth n paragraph [0026] represents. For example, if the value "3.14" is quantized to the value "3", information beyond the decimal point is lost, hence it is generally impossible to restore the quantized value "3" to the value of "3.14" before quantization.
- (3) The "aforementioned quantization results which indicate the amplitude of the aforementioned signal waveform" in claims 2 to 5 are understood to be the decoding results DC1 which have been subjected to "reverse quantization corresponding to difference quantization in the decoder 11" set forth in paragraph [0026]. It is unclear why values which have been subjected to reverse quantization are referred to as "quantization results".
- (4) In the disclosure "whether amplitude adjustment is necessary is judged based on these comparison results" set forth in claim 2, it is unclear for what type of comparison results amplitude adjustment is required.
- (5) In the disclosure "whether amplitude adjustment is necessary is judged based on these three comparison results" set forth in claim 3, it is unclear for what type of comparison results amplitude adjustment is

International application No.
PCT/JP2004/015894

Box No. VIII Certain observations on the international application

required.

- (6) In the disclosure "whether amplitude adjustment is necessary is judged based on these comparison results" set forth in claim 4, it is unclear for what type of comparison results amplitude adjustment is required.
- (7) In the disclosure "whether amplitude adjustment is necessary is judged according to the comparison " set forth in claim 5, it is unclear for what type of comparison results amplitude adjustment is required.
- (8) The wording "for example, if the occurrence of a transmission error for a particular packet (frame) is detected, an opportunity for the adjuster (12, 81) to function may be assigned" in paragraph [0132] judges whether or not adjustment is required before decoding, therefore the wording "whether or not amplitude adjustment is necessary is judged according to the values for amplitude for a signal waveform which indicate the decoding results for produced data accommodated in the aforementioned transmission unit signal" in claim 1 is inconsistent.